毕得医药
bidepharm.com

杂环砌块 催化剂及配体
合成砌块 硼酸及硼酸酯
抑 制 剂 医 药 中 间 体

公司介绍

毕得医药成立于2007年，总部位于上海张江高科技园区，是一家以医药中间体相关产品的研发、生产、销售及合成定制为主的高新技术企业。

毕得医药现有员工300余人，共同为医药研发机构及生产厂家提供中高端医药中间体等产品和定制服务。库存产品种类过万，分别在上海和美国芝加哥有2个现代化仓储物流管理中心，竭诚为您提供品质卓越、价格合理的高端医药中间体。

毕得医药拥有领先的服务理念。强大的资源整合和调配能力保证每周新增产品高达百余种，以满足市场飞速发展的需求，同时我们坚持以客户为导向，努力提供多元化、点对点精确化的产品，以满足不同客户的丰富需求。



我们的优势

产品齐全
质量保证
自主研发
价格优惠
快速反馈
服务专业

助力医药研发
成为客户最信赖的合作伙伴

我们已取得瑞士通用公司标准
(SGS) ISO 9001:2008国际质量体系认证证书，
并拥有前沿的检测仪器和技术，
相信毕得医药能为您长期提供
高质量的化学试剂。

在产品质量控制中，

我们采用以下技术：

NMR	熔点测定
UPLC / HPLC/GC	金属含量分析
LC-MS	炽热残渣分析
手性HPLC	滴定分析
旋光测定	水分测定

研发中心

毕得医药研发中心提供高品质、
高效益的定制合成服务，
目前已成功完成了万种多个定制合成项目，
并有多项技术获得了国家发明专利。

质量质控体系中，

采用以下检测步骤以确保每批产品的质量：

原材料检测 / 中间体质量检测
产品质量检测 / 产品分析检测证书(COA)
每批产品留样至少一年

20,000余平方米现代化仓储物流中心

40,000+现货库存
分别在上海和美国芝加哥
有2个现代化仓储物流管理中心

产品特色

产品线庞大、多样性广，包括硼酸、催化剂、各种合成砌块、生命科学和材料科学等产品，其中产品特色有：



产品目录

01 硼酸&硼酸酯

Boronic Acids and Esters 1-6

02 催化剂及配体

Catalysts and Ligands (Ligands) 7

Catalysts and Ligands (Pd) 8

Catalysts and Ligands (Rh) 9

Catalysts and Ligands (Ru) 10

Catalysts and Ligands (Ni) 11

Catalysts and Ligands (Org. Cata.) 12

03 杂环砌块

吡啶(Pyridines) 13-14

哒嗪(Pyridazines) 15-16

吲哚(Indoles) 17-18

噻吩(Thiophenes) 19-20

咪唑(Imidazoles) 21-22

哌嗪(Piperazines) 23-24

吖丁啶(Azetidines) 25-26

氧杂环丁烷(Oxetanes) 27-28

吡咯烷(Pyrrolidines) 29-30

吗啡啉(Morpholines) 31-32

硼酸&硼酸酯　Boronic Acids and Esters (5,000+)

BD8256

[845551-44-2]
(4-(Benzyloxy)-3-chlorophenyl)boronic acid



BD3199

[212779-19-6]
2,3,5-Trichlorophenylboronic acid



BD8270

[851335-09-6]
4-Carboxy-2-chlorophenylboronic acid



BD4478

[248270-25-9]
3-Fluoro-4-formylphenylboronic acid



BD4721

[352535-86-5]
2-Chloro-6-fluoro-5-methylphenylboronic acid



BD6249

[603122-82-3]
(3-Chloro-4-(methoxycarbonyl)phenyl) boronic acid



Cat. No.	Product Name	CAS No.
BD6252	3-Methoxy-5-(trifluoromethyl)phenylboronic acid	871332-97-7
BD6258	4-Fluoro-3-(methoxycarbonyl)phenylboronic acid	874219-35-9
BD6269	4-Methoxycarbonyl-2-nitrophenylboronic acid	85107-55-7
BD161384	2-Ethoxy-4-fluorophenylboronic acid	480438-58-2
BD8026	(2-Chloro-5-(trifluoromethoxy)phenyl)boronic acid	1022922-16-2
BD161511	5-Bromo-2-fluoro-3-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)pyridine	1073353-50-0
BD8080	2-Fluoro-6-(trifluoromethyl)phenylboronic acid	313545-34-5
BD161537	2-Chloro-6-fluoro-3-methylphenylboronic acid	352535-85-4
BD161538	2-Chloro-6-methoxyphenylboronic acid	385370-80-9
BD161540	2,6-Difluoro-4-methoxyphenylboronic acid	406482-20-0
BD161542	3-Formyl-2-methoxyphenylboronic acid	480424-49-5
BD161605	3-Benzyloxy-6-bromo-2-fluorophenylboronic acid	957035-10-8

硼酸&硼酸酯 Boronic Acids and Esters (5,000+)

BD226397

[864754-21-2]
3-((4-(4,4,5,5-Tetramethyl-1,3,2-dioxaborolan-2-yl)-1H-pyrazol-1-yl)methyl)pyridine



BD234706

[331833-99-9]
(5-Bromobenzofuran-2-yl)boronic acid



BD164517

[1084953-47-8]
3-(4,4,5,5-Tetramethyl-1,3,2-dioxaborolan-2-yl)-5-(trifluoromethyl)pyridine



BD238965

[1192025-01-6]
2-(3-Chloro-2-fluorophenyl)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane



BD227003

[1000068-25-6]
(1-(tert-Butoxycarbonyl)-4-fluoro-1H-indol-2-yl)boronic acid



BD239182

[1204742-76-6]
6-(4,4,5,5-Tetramethyl-1,3,2-dioxaborolan-2-yl)imidazo[1,2-a]pyridine



Cat. No.	Product Name	CAS No.
BD196757	(6-Bromo-3-fluoro-2-methoxyphenyl)boronic acid	957035-08-4
BD249162	(7-Cyanobenzo[b]thiophen-2-yl)boronic acid	1119899-37-4
BD249197	tert-Butyl 6-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)-2H-benzo[b][1,4]oxazine-4(3H)-carboxylate	1161362-35-1
BD244750	(1-Chloroisoquinolin-4-yl)boronic acid	848841-48-5
BD244755	(6-(4-(tert-Butoxycarbonyl)piperazin-1-yl)-5-methylpyridin-3-yl)boronic acid	1379476-75-1
BD244902	5-(4,4,5,5-Tetramethyl-1,3,2-dioxaborolan-2-yl)picolinamide	1257553-74-4
BD244912	2-Chloro-3-fluoro-5-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)pyridine	1073312-28-3
BD164509	2-Methoxy-3-nitro-5-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)pyridine	1083168-94-8
BD262865	(2-Chloro-4-fluoro-3-methoxyphenyl)boronic acid	943831-11-6
BD253260	5-(4,4,5,5-Tetramethyl-1,3,2-dioxaborolan-2-yl)benzo[d]oxazol-2-amine	1224844-66-9
BD261603	2-Cyclopropyl-5-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)pyrimidine	1375301-91-9
BD282721	(2-(4-(Methoxycarbonyl)piperidin-1-yl)pyrimidin-5-yl)boronic acid	1536398-19-2

硼酸&硼酸酯　Boronic Acids and Esters (5,000+)

BD297369

[947533-31-5]
(1-(tert-Butoxycarbonyl)-3,5-dimethyl-1H-pyrazol-4-yl)boronic acid



BD0656

[832114-00-8]
3,5-Dimethyl-4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)isoxazole



BD164465

[1016644-38-4]
(2-Oxo-2,3-dihydrobenzo[d]oxazol-6-yl) boronic acid



BD304087

[1421252-90-5]
3,5-Dimethyl-4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)-1-tosyl-1H-indazole



BD304102

[1261295-10-6]
2-Methyl-3-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)benzenesulfonamide



BD294880

[1231930-37-2]
4-Fluoro-1-isopropyl-2-methyl-6-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)-1H-benzo[d]imidazole



Cat. No.	Product Name	CAS No.
BD300208	6-(4,4,5,5-Tetramethyl-1,3,2-dioxaborolan-2-yl)pyrazolo[1,5-a]pyrimidine	1416437-27-8
BD295035	2-(4,4,5,5-Tetramethyl-1,3,2-dioxaborolan-2-yl)-4-(trifluoromethyl)benzaldehyde	1416721-24-8
BD280659	2-(4-Fluoro-2-nitrophenyl)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane	1288978-82-4
BD65531	(4-Ethoxy-2,3-difluorophenyl)boronic acid	212386-71-5
BD7909	2,3-Difluoro-6-methoxyphenylboronic acid	957061-21-1
BD68261	2,6-Difluoro-3-methoxyphenylboronic acid	870779-02-5
BD164465	(2-Oxo-2,3-dihydrobenzo[d]oxazol-6-yl)boronic acid	1016644-38-4
BD0656	3,5-Dimethyl-4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)isoxazole	832114-00-8
BD37350	(3-Morpholinophenyl)boronic acid	863377-22-4
BD208756	1-(Phenylsulfonyl)-4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)-1H-pyrazole	1073372-04-9
BD168275	4-(2-Chloro-4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)phenyl)morpholine	1361110-63-5
BD8271	3-Chloro-4-carboxyphenylboronic acid	136496-72-5

硼酸&硼酸酯　Boronic Acids and Esters (5,000+)

BD318035

[1627722-90-0]
Methyl 5-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)quinoline-8-carboxylate



BD327893

[874363-18-5]
N-[3-(4,4,5,5-Tetramethyl-1,3,2-dioxaborolan-2-yl)phenyl]acrylamide



BD315964

[870238-67-8]
2-Fluoro-4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)benzonitrile



BD316427

[1192548-08-5]
2-(2-Fluoro-3-methylphenyl)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane



BD159797

[1151564-03-2]
2-(2-Chloro-3-methoxyphenyl)-4,4,5,5-tetramethyl-[1,3,2]dioxaborolane



BD158241

[1310384-28-1]
(1-(tert-Butoxycarbonyl)-5,6-dichloro-1H-indol-2-yl)boronic acid



Cat. No.	Product Name	CAS No.
BD118636	(3-Cyano-5-fluorophenyl)boronic acid	304858-67-1
BD379908	2-(4-(4,4,5,5-Tetramethyl-1,3,2-dioxaborolan-2-yl)phenyl)-1,3,4-oxadiazole	276694-19-0
BD25184	(2-Chloro-5-fluoropyridin-4-yl)boronic acid	951677-47-7
BD161503	2-Fluoro-4-methyl-5-pyridineboronic acid	1072944-18-3
BD160526	2-Morpholinopyrimidin-5-ylboronic acid	870521-33-8
BD8021	(6-Chloro-5-methylpyridin-3-yl)boronic acid	1003043-40-0
BD35410	2-Chloro-4-methyl-5-pyridineboronic acid	913836-08-5
BD8050	2-Chloro-5-pyrimidineboronic acid	1003845-06-4
BD2628	(2-Bromopyridin-3-yl)boronic acid	452972-08-6
BD157980	(1-Tosyl-1H-pyrrolo[2,3-b]pyridin-3-yl)boronic acid	882562-39-2
BD292941	(4-Fluoro-3,5-dimethoxyphenyl)boronic acid	482628-23-9
BD32941	tert-Butyl 2-fluoro-4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)phenylcarbamate	262444-42-8

硼酸&硼酸酯　Boronic Acids and Esters (5,000+)

BD3728

[89641-18-9]
2,4-Dimethoxypyrimidine-5-boronic acid



BD19364

[214210-21-6]
3-Cyano-4-fluorobenzeneboronic acid



BD13290

[214360-62-0]
2-Bromo-5-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)pyridine



BD4479

[374538-01-9]
(4-Fluoro-3-formylphenyl)boronic acid



BD5127

[380430-55-7]
(2-Amino-4-(methoxycarbonyl)phenyl)-boronic acid hydrochloride



BD42692

[402960-38-7]
5-(4,4,5,5-Tetramethyl-1,3,2-dioxaborolan-2-yl)pyrimidin-2-amine



Cat. No.	Product Name	CAS No.
BD8106	[2-(Methoxycarbonyl)-1H-indol-5-yl]boronic acid	284660-86-2
BD3320	5-Cyano-3-pyridinylboronic acid	497147-93-0
BD4277	4-Chloro-2-(trifluoromethyl)phenylboronic acid	313545-41-4
BD6260	(3-Fluoro-4-(methoxycarbonyl)phenyl)boronic acid	505083-04-5
BD455501	4-Fluoro-2-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)benzaldehyde	1844839-22-0
BD37061	2-Chloro-5-nitrophenylboronic acid	867333-29-7
BD29783	5-Chloro-2-formylphenylboronic acid	870238-36-1
BD37489	3-Amino-4-fluorophenylboronic acid	873566-75-7
BD6576	(3-Ethoxycarbonyl-4-fluorophenyl)boronic acid	874219-36-0
BD158317	2-Borono-5-fluorobenzoic acid	874290-63-8
BD8079	2-Fluoro-5-nitrophenylboronic acid	819849-20-2
BD163854	6-(4,4,5,5-Tetramethyl-1,3,2-dioxaborolan-2-yl)-2H-benzo[b][1,4]oxazin-3(4H)-one	943994-02-3

硼酸&硼酸酯　Boronic Acids and Esters (5,000+)

BD13366

[380430-68-2]
(3-Boc-Aminophenyl)boronic acid



BD163289

[501944-42-9]
5-Fluorobenzo[b]thiophen-2-ylboronic acid



BD35066

[843663-18-3]
4-Cyano-3-fluorophenylboronic acid



BD44058

[850568-47-7]
(2-Amino-4-cyanophenyl)boronic acid hydrochloride



BD35121

[852227-95-3]
4-[3-(4,4,5,5-Tetramethyl-1,2,3-dioxaborolan-2-yl)phenyl]morpholine



BD4890

[89694-45-1]
5-Bromo-2-methoxyphenylboronic acid



Cat. No.	Product Name	CAS No.
BD8037	(2-Chloro-5-methoxyphenyl)boronic acid	89694-46-2
BD4895	(5-Chloro-2-methoxyphenyl)boronic acid	89694-48-4
BD159891	2-Chloro-5-(dihydroxyboranyl)benzoic acid	913835-32-2
BD158785	4-(4,4,5,5-Tetramethyl-1,3,2-dioxaborolan-2-yl)isoxazole	928664-98-6
BD38277	(5-Chloro-2-fluoropyridin-3-yl)boronic acid	937595-70-5
BD23667	(3-Cyano-2-fluorophenyl)boronic acid	957121-05-0
BD23602	(2-Methylpyrimidin-5-yl)boronic acid	1034924-06-5
BD23685	4,6-dichloropyridin-3-yl hydrogen boronate	1070893-11-6
BD23864	6-Ethoxy-5-fluoropyridine-3-boronic acid	1309982-57-7
BD160854	1-[4-(4,4,5,5-Tetramethyl-1,3,2-dioxaborolan-2-yl)phenyl]pyrrolidine	852227-90-8
BD93818	2-Fluoro-4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)aniline	819058-34-9
BD152949	tert-Butyl 5-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)-1H-indazole-1-carboxylate	864771-44-8

催化剂及配体　Catalysts and Ligands (Ligands) (2,000+)

BD22128

[6737-42-4]
1,3-Bis(diphenylphosphino)propane,DPPP



BD17796

[12150-46-8]
1,1′-Bis(diphenylphosphino)ferrocene,DPPF



BD19011

[18531-95-8]
(S)-(-)-2,2'-Diamino-1,1'-binaphthyl



BD27775

[174500-20-0]
2,6-Bis[(4S)-4-phenyl-2-oxazolinyl]pyridine



BD214220

[185346-09-2]
2,6-Bis[(3aS,8aR)-3a,8a-dihydro-8H-indeno[1,2-d]oxazolin-2-yl]pyridine



BD53778

[141556-45-8]
1,3-Dimesityl-1H-imidazol-3-ium chloride



Cat. No.	Product Name	CAS No.
BD491093	(S)-α,α-Bis(3,5-dimethylphenyl)-2-pyrrolidinemethanol	131180-63-7
BD293022	2,6-Bis(4,5-dihydrooxazol-2-yl)pyridine	165125-95-1
BD306195	Tris(2-pyridylmethyl)amine	16858-01-8
BD233678	(11bS)-4-Hydroxy-2,6-diphenyl-4-oxide-dinaphtho[2,1-d:1',2'-f][1,3,2]dioxaphosphepin	874948-59-1
BD631885	(S)-(-)-3,3'-Dibromo-5,5',6,6',7,7',8,8'-octahydro-1,1'-bi-2,2'-naphthalenediol	765278-73-7
BD46780	(Oxybis(2,1-phenylene))bis(diphenylphosphine)	166330-10-5
BD60081	1-Phenylbutane-1,3-dione	93-91-4
BD53782	1,3-Bis(2,6-diisopropylphenyl)imidazolium chloride	250285-32-6
BD107780	6,6'-Dimethyl-2,2'-bipyridine	4411-80-7
BD217706	4,4'-Di-tert-butyl-2,2'-dipyridyl	72914-19-3
BD155761	Tri(p-tolyl)phosphine	1038-95-5
BD18689	4,5-Bis(diphenylphosphino)-9,9-dimethylxanthene	161265-03-8

催化剂及配体　Catalysts and Ligands (Pd) (2,000+)

BD18300

[14221-01-3]
Tetrakis(triphenylphosphine)palladium(0)



BD232026

[127593-28-6]
Dichloro[(S)-(-)-2,2'-bis(diphenylphosphino)-1,1'-binaphthyl]palladium(II)



BD52280

[95408-45-0]
[1,1'-Bis(di-tert-butylphosphino)ferrocene]dichloropalladium(II)



BD20196

[32005-36-0]
Bis(dibenzylideneacetone)palladium(0)



BD22387

[72287-26-4]
[1,1'-Bis(diphenylphosphino)ferrocene]dichloropalladium(II)



BD20064

[29964-62-3]
Dichloro[1,4-bis(diphenylphosphino)-butane]palladium(II)



Cat. No.	Product Name	CAS No.
BD21216	Tris(dibenzylideneacetone)dipalladium(0)-chloroform adduct	52522-40-4
BD146646	Palladium(II) acetate	3375-31-3
BD18251	Bis(triphenylphosphine)palladium(II) dichloride	13965-03-2
BD18404	Bis(triphenylphosphine)palladium(II) diacetate	14588-08-0
BD18405	Bis(acetonitrile)palladium(II) dichloride	14592-56-4
BD23246	[1,1'-Bis(diphenylphosphino)ferrocene]dichloropalladium(II), complex with dichloromethane	95464-05-4
BD21135	Tris(dibenzylideneacetone)dipalladium(0)	51364-51-3
BD246799	[2,6-Bis[(di-1-piperidinylphosphino)amino]phenyl]palladium(II) chloride	955035-37-7
BD105898	Palladium on activated carbon(10%) (wetted with ca. 55% Water)	7440-05-3
BD146658	Palladium(II) trifluoroacetate	42196-31-6
BD165235	Bis(3,5,3',5'-dimethoxydibenzylideneacetone)palladium(0)	811862-77-8
BD19194	[1,2-Bis(diphenylphosphino)ethane]dichloropalladium(II)	19978-61-1

催化剂及配体　Catalysts and Ligands (Rh) (2,000+)

BD120711

[12092-47-6]
Chloro(1,5-cyclooctadiene)rhodium(I) dimer



BD20379

[35138-22-8]
Bis(1,5-cyclooctadiene)rhodium(I) tetrafluoroborate



BD162099

[68803-79-2]
Rhodium(II) 2,2,2-triphenylacetate



BD150376

[15956-28-2]
Rhodium(II) acetate dimer



BD18423

[14694-95-2]
Tris(triphenylphosphine)chlororhodium(I)



BD120042

[17185-29-4]
Carbonylhydridotris(triphenylphosphine) rhodium(I)



Cat. No.	Product Name	CAS No.
BD150383	Rhodium(III) chloride trihydrate	13569-65-8
BD150382	Rhodium(III) chloride hydrate	20765-98-4
BD42999	1,2-Bis[(2S,5S)-2,5-diethylphospholano]benzene(1,5-cyclooctadiene)rhodium(I) trifluoromethanesulfonate	142184-30-3
BD235629	Bis(acetonitrile)(1,5-cyclooctadiene)rhodium(I) tetrafluoroborate	32679-02-0
BD150387	Rhodium(III) oxide	12036-35-0
BD46416	(Acetylacetonato)dicarbonylrhodium(I)	14874-82-9
BD239305	Methoxy(cyclooctadiene)rhodium(I) dimer	12148-72-0
BD150389	Rhodium(III) sulfate solution	10489-46-0
BD155888	Trichlorotris(ethylenediamine)rhodium(III) trihydrate	15004-86-1
BD253920	Bis(norbornadiene)rhodium(I) tetrafluoroborate	36620-11-8
BD318898	Tetrakis[N-phthaloyl-(R)-tert-leucinato]dirhodium bis(ethyl acetate) adduct	380375-05-3
BD246758	Rhodium tris(2-ethylhexanoate)	20845-92-5

催化剂及配体　Catalysts and Ligands (Ru) (2,000+)

BD116303

[172222-30-9]
Benzylidenebis(tricyclohexylphosphine) dichlororuthenium(IV)



BD124312

[50982-12-2]
Dichloro(cycloocta-1,5-diene)ruthenium(II)



BD223452

[92361-49-4]
Chloro(pentamethylcyclopentadienyl)bis(triphenylphosphine)ruthenium(II)



BD367531

[80907-56-8]
[Ru(bpz)3][PF6]2



BD159913

[132071-87-5]
Dichloro [(R)-(+)-2,2'-bis(diphenylphosphino)-1,1'-binaphathyl] ruthenium(II)



BD159914

[134524-84-8]
Dichloro [(S)-(-)-2,2'-bis(diphenylphosphino)-1,1'-binaphthyl]ruthenium(II)



Cat. No.	Product Name	CAS No.
BD150615	Ruthenium(III) chloride hydrate	20759-14-2
BD212381	(1,3-Dimesitylimidazolidin-2-ylidene)(2-isopropoxy-benzylidene)ruthenium(VI) chloride	301224-40-8
BD150616	Ruthenium(III) chloride trihydrate	13815-94-6
BD120793	Chlorocyclopentadienylbis(triphenylphosphine)ruthenium(II)	32993-05-8
BD150614	Ruthenium(III) chloride	10049-08-8
BD242556	Ruthenium(III) chloride hydrate	14898-67-0
BD18330	Tris(2,2'-bipyridine)ruthenium dichloride	14323-06-9
BD165627	(1,3-Bis(2,4,6-trimethylphenyl)-2-imidazolidinylidene)dichloro(phenylmethylene)(tricyclohexylphosphine)ruthenium	246047-72-3
BD683257	Tris(4,4'-dimethyl-2,2'-bipyridine)ruthenium(II) hexafluorophosphate	83605-44-1
BD683258	Tris[4,4'-di-tert-butyl-(2,2')-bipyridine]ruthenium(III) dihexafluorophosphate	75777-87-6
BD168218	(S,S)-N-(p-Toluenesulfonyl)-1,2-diphenylethanediamine(chloro)(p-cymene)ruthenium(II)	192139-90-5
BD245115	Dichloro[1,3-Bis(2,4,6-trimethylphenyl)-2-imidazolidinylidene](benzylidene)bis(3-bromopyridine)ruthenium(II)	900169-53-1

催化剂及配体　Catalysts and Ligands (Ni) (2,000+)

BD18414

[14647-23-5]
1,2-Bis(diphenylphosphino)ethane nickel(II)chloride



BD18598

[15629-92-2]
1,3-Bis(diphenylphosphino)propane nickel(II)chloride



BD18279

[14126-37-5]
Nickel(II) bromide bis(triphenylphosphine)



BD18315

[14264-16-5]
Bis(triphenylphosphine)nickel(II) chloride



BD22123

[67292-34-6]
[1,1'-Bis(diphenylphosphino)ferrocene] dichloronickel(II)



BD41600

[3264-82-2]
Nickel(II) acetylacetonate



Cat. No.	Product Name	CAS No.
BD289480	Bis(tricyclohexylphosphine)nickel(II) dichloride	19999-87-2
BD153240	Tetrabutylammonium bis(4-methyl-1,2-benzenedithiolato)nickelate	15492-42-9
BD306252	[N-[1-[2-(2-Pyridylcarboxamido)phenyl]ethylidene]glycinato]nickel	264921-97-3
BD120715	Chloro(cyclopentadienyl)(triphenylphosphine)nickel(II)	31904-79-7
BD168370	Nickel(II) trifluoromethanesulfonate	60871-84-3
BD434513	Bis[(2-dimethylamino)phenyl]amine nickel(II) chloride	1033772-47-2
BD144611	Nickel(II) bromide	13462-88-9
BD434683	Nickel(II) bromide hydrate	207569-11-7
BD22123	[1,1'-Bis(diphenylphosphino)ferrocene]dichloronickel(II)	67292-34-6
BD18511	Tetrakis(triphenylphosphine)nickel(0)	15133-82-1
BD182493	Chloro(1-naphthyl)bis(triphenylphosphine)nickel(II)	54806-25-6
BD749460	Nickel(II) bromide ethylene glycol dimethyl ether complex	28923-39-9

催化剂及配体　Catalysts and Ligands (Org. Cata.) (2,000+)

BD233619

[1186049-30-8]
(R)-1,1,1-Trifluoro-N-(pyrrolidin-2-ylmethyl)methanesulfonamide



BD16704

[22348-32-9]
(R)-Diphenyl(pyrrolidin-2-yl)methanol



BD1370

[144222-34-4]
N-[(1R,2R)-2-Amino-1,2-diphenylethyl]-4-methylbenzenesulphonamide,(R,R)-TsDPEN



BD491093

[131180-63-7]
(S)-(-)-2-[Bis(3,5-dimethylphenyl) hydroxymethyl]pyrrolidine



BD297484

[848821-76-1]
(S)-Bis(3,5-bis(trifluoromethyl)phenyl) (pyrrolidin-2-yl)methanol



BD294285

[176097-24-8]
(DHQ)2AQN



Cat. No.	Product Name	CAS No.
BD42934	O-Allyl-1-(anthracen-9-ylmethyl)cinchonidinium bromide	200132-54-3
BD32296	1,4,7,10,13,16-Hexaoxacyclooctadecane (18-Crown-6)	17455-13-9
BD233609	N-[3,5-Bis(trifluoromethyl)phenyl]-N'-[(2S)-2-(dimethylamino)-3-methylbutyl]-thiourea	1048692-60-9
BD233667	1-[3,5-Bis(trifluoromethyl)phenyl]-3-[(1S,2S)-(+)-2-(dimethylamino)cyclohexyl]thiourea (S,S-TUC)	851477-20-8
BD631930	N-[3,5-Bis(trifluoromethyl)phenyl]-N'-[(1S,2S)-2-(dimethylamino)-1,2-diphenylethyl]-thiourea	1233369-41-9
BD247032	(2S,6S)-2,6-Di-benzyl-2,3,5,6-tetrahydro-1H-imidazo[1,2-a]imidazole	877773-30-3
BD247035	(2S,6S)-2,3,5,6-Tetrahydro-2,6-bis(1-methylethyl)-1H-imidazo[1,2-a]imidazole	519038-82-5
BD261749	N-((1R,2R)-2-(3-((1R,2R)-2-(Dimethylamino)cyclohexyl)thioureido)-1,2-diphenylethyl)-3,5-bis(trifluoromethyl)benzenesulfonamide	1020665-73-9
BD233646	1-[3,5-Bis(trifluoromethyl)phenyl]-3-[(1R,2R)-(-)-2-(dimethylamino)cyclohexyl]thiourea(R,R-TUC)	620960-26-1
BD261794	1-(3,5-Bis(trifluoromethyl)phenyl)-3-((1R,2S)-2-hydroxy-2,3-dihydro-1H-inden-1-yl)thiourea	871828-95-4
BD160474	(R)-2-Benzhydrylpyrrolidine	22348-31-8
BD217357	(S)-1-(Pyrrolidin-2-ylmethyl)pyrrolidine	51207-66-0

杂环砌块 — 吡啶 (Pyridines) (35,000+)





3,5-Diiodopyridin-4-amine

- BD174360
- $C_5H_4I_2N_2$
- 345.91
- 98136-86-8
- 95+%
- 250mg / 1g / 5g / 10g / 25g



5-Chloro-2-fluoro-3-iodopyridine

- BD38273
- C_5H_2ClFIN
- 257.43
- 884495-31-2
- 95+%
- 100mg / 250mg / 1g



3-Iodo-2-methoxyisonicotinonitrile

- BD248807
- $C_7H_5IN_2O$
- 260.03
- 908279-57-2
- 95+%
- 250mg / 1g



5-Bromo-6-chloro-3-iodopyridin-2-amine

- BD288213
- $C_5H_3BrClIN_2$
- 333.35
- 1207625-23-7
- 95+%
- 100mg / 250mg / 1g / 5g



4-Hydroxypicolinic acid

- BD98010
- $C_6H_5NO_3$
- 139.11
- 22468-26-4
- 95+%
- 250mg / 1g / 5g / 10g / 25g



2,3-Dichloro-5-nitropyridine

- BD32725
- $C_5H_2Cl_2N_2O_2$
- 192.99
- 22353-40-8
- 98%
- 1g / 5g / 10g / 25g / 100g



3-Fluoro-4-iodopyridine

- BD28093
- C_5H_3FIN
- 222.99
- 22282-75-3
- 97%
- 1g / 5g / 10g / 25g



N-Boc-4-Amino-3-iodopyridine

- BD28028
- $C_{10}H_{13}IN_2O_2$
- 320.13
- 211029-67-3
- 98%
- 250mg / 1g / 5g / 10g / 25g



2-Chloro-5-iodo-3-(trifluoromethyl)pyridine

- BD211645
- $C_6H_2ClF_3IN$
- 307.44
- 887707-25-7
- 96%
- 250mg / 1g / 5g / 10g / 25g



4-Bromo-5-iodopyridin-2-amine

- BD238964
- $C_5H_4BrIN_2$
- 298.91
- 1186115-39-8
- 97%
- 250mg / 1g / 5g / 10g / 25g



3-(Pyridin-2-yl)aniline dihydrochloride

- BD232039
- $C_{11}H_{12}Cl_2N_2$
- 243.13
- 1170936-92-1
- 95+%
- 250mg / 1g / 5g



2-Bromo-3-chloro-5-nitropyridine

- BD42693
- $C_5H_2BrClN_2O_2$
- 237.44
- 22353-41-9
- 95+%
- 250mg / 1g / 5g / 10g / 25g



3-Chloro-2-hydroxy-5-nitropyridine

- BD85659
- $C_5H_3ClN_2O_3$
- 174.54
- 22353-38-4
- 98%
- 250mg / 1g / 5g / 10g / 25g



2-Fluoropyridin-4-ol

- BD74866
- C_5H_4FNO
- 113.09
- 22282-69-5
- 97%
- 250mg / 1g / 5g

杂环砌块 — 吡啶 (Pyridines) (35,000+)



4-Chloro-N-methylpicolinamide

- BD28072
- $C_7H_7ClN_2O$
- 170.60
- 220000-87-3
- 97%
- 5g / 10g / 25g / 100g / 500g



2-Hydroxy-4-methyl-5-nitropyridine

- BD3520
- $C_6H_6N_2O_3$
- 154.12
- 21901-41-7
- 95+%
- 5g / 10g / 25g / 100g / 500g



5-Acetyl-2-bromopyridine

- BD27499
- C_7H_6BrNO
- 200.03
- 139042-59-4
- 97+%
- 250mg / 1g / 5g / 10g / 25g



2-Chloro-5-hydroxymethylpyridine

- BD3486
- C_6H_6ClNO
- 143.57
- 21543-49-7
- 95%
- 1g / 5g / 10g / 25g / 100g



6-Methylpyridine-2,4-diol

- BD66937
- $C_6H_7NO_2$
- 125.13
- 158152-94-4
- 97%
- 250mg / 1g / 5g / 10g / 25g / 100g



2-Amino-3-nitro-5-fluoropyridine

- BD19343
- $C_5H_4FN_3O_2$
- 157.10
- 212268-12-7
- 98%
- 250mg / 1g / 5g / 10g / 25g



2-Methyl-5-nitropyridine

- BD3510
- $C_6H_6N_2O_2$
- 138.12
- 21203-68-9
- 97%
- 5g / 10g / 25g / 100g



3-Chloropyridine-2-carboxaldehyde

- BD158016
- C_6H_4ClNO
- 141.56
- 206181-90-0
- 97%
- 250mg / 1g / 5g



2-Bromo-6-(trifluoromethyl)pyridine

- BD3118
- $C_6H_3BrF_3N$
- 225.99
- 189278-27-1
- 98%
- 1g / 5g / 10g / 25g / 100g



5-Amino-3-bromo-2-methylpyridine

- BD32393
- $C_6H_7BrN_2$
- 187.04
- 186593-43-1
- 98%
- 250mg / 1g / 5g / 10g / 25g



5-Nitropyridin-3-ol

- BD87286
- $C_5H_4N_2O_3$
- 140.10
- 186593-26-0
- 98%
- 100g / 250mg / 1g / 5g / 10g



3-Amino-2-methoxy-6-picoline

- BD19029
- $C_7H_{10}N_2O$
- 138.17
- 186413-79-6
- 95+%
- 1g / 5g / 10g / 25g



2,3-Dichloroisonicotinic acid

- BD65492
- $C_6H_3Cl_2NO_2$
- 192.00
- 184416-84-0
- 97%
- 250mg / 1g / 5g / 10g / 25g / 100g



4-Amino-2-picoline

- BD3688
- $C_6H_8N_2$
- 108.14
- 18437-58-6
- 97%
- 5g / 10g / 25g



5-(Bromomethyl)-2-chloropyridine

- BD149721
- C_6H_5BrClN
- 206.47
- 182924-36-3
- 98%
- 250mg / 1g / 5g



2-Amino-6-picoline

- BD27847
- $C_6H_8N_2$
- 108.14
- 1824-81-3
- 98%
- 25g / 100g / 500g



2-Fluoro-5-iodopyridine

- BD2560
- C_5H_3FIN
- 222.99
- 171197-80-1
- 98%
- 1g / 5g / 10g / 25g / 100g



4-Amino-3-nitropyridine

- BD9579
- $C_5H_5N_3O_2$
- 139.11
- 1681-37-4
- 98%
- 5g / 10g / 25g / 100g

杂环砌块 — 哒嗪 (Pyridazines) (35,000+)





4,7-Dichlorothieno[2,3-d]pyridazine

- BD222403
- $C_6H_2Cl_2N_2S$
- 205.06
- 699-89-8
- 95+%
- 100mg / 250mg / 1g / 5g



3,6-Difluoropyridazine

- BD159585
- $C_4H_2F_2N_2$
- 116.07
- 33097-39-1
- 98%
- 100mg / 250mg / 1g / 5g



3-Chloro-6-iodopyridazine

- BD85994
- $C_4H_2ClIN_2$
- 240.43
- 135034-10-5
- 97%
- 250mg / 1g / 5g / 10g / 25g



2-((6-Chloropyridazin-3-yl)methyl) isoindoline-1,3-dione

- BD220222
- $C_{13}H_8ClN_3O_2$
- 273.68
- 948996-03-0
- 95+%
- 5g



3,4-Dibromo-6-(trifluoromethyl)pyridazine

- BD269119
- $C_5HBr_2F_3N_2$
- 305.88
- 1073525-71-9
- 97%
- 250mg / 1g



6-Bromoimidazo[1,2-b]pyridazine

- BD223982
- $C_6H_4BrN_3$
- 198.02
- 1159977-65-7
- 95+%
- 250mg / 1g / 5g / 10g / 25g



4-Amino-5-nitropyridazin-3-ol

- BD237073
- $C_4H_4N_4O_3$
- 156.10
- 6381-47-1
- 95+%
- 100mg / 250mg / 1g



3-Chloro-6-(difluoromethyl)pyridazine

- BD619223
- $C_5H_3ClF_2N_2$
- 164.54
- 1706439-95-3
- 95%
- 100mg / 250mg / 1g / 5g / 10g



4-Chloropyridazin-3-ol

- BD226161
- $C_4H_3ClN_2O$
- 130.53
- 1677-79-8
- 95+%
- 250g / 1g / 5g / 10g / 25g



3,4-Dibromo-6-(trifluoromethyl)pyridazine

- BD269119
- $C_5HBr_2F_3N_2$
- 305.88
- 1073525-71-9
- 97%
- 250mg / 1g



4,5-Dichloro-2-phenylpyridazin-3(2H)-one

- BD60189
- $C_{10}H_6Cl_2N_2O$
- 241.07
- 1698-53-9
- 97%
- 250mg / 1g / 5g / 10g / 25g



4,6-Dichloro-3-methylpyridazine

- BD248831
- $C_5H_4Cl_2N_2$
- 163.01
- 68240-43-7
- 95+%
- 100mg / 250mg / 1g / 5g / 10g / 25g



3-Chloro-6-hydrazinylpyridazine

- BD2270
- $C_4H_5ClN_4$
- 144.56
- 17284-97-8
- 98%
- 1g / 5g / 10g / 25g / 100g / 500g



3-(Chloromethyl)pyridazine hydrochloride

- BD227014
- $C_5H_6Cl_2N_2$
- 165.02
- 27349-66-2
- 95+%
- 100mg / 250mg / 1g / 5g

杂环砌块 — 哒嗪 (Pyridazines) (35,000+)



5-Aminopyridazin-3(2H)-one

- BD227113
- $C_4H_5N_3O$
- 111.10
- 89033-30-7
- 98%
- 250mg / 1g



4-Hydroxypyridazine

- BD98005
- $C_4H_4N_2O$
- 96.09
- 20733-10-2
- 97%
- 250mg / 1g / 5g / 10g / 25g



3-Hydrazinyl-6-methylpyridazine

- BD88290
- $C_5H_8N_4$
- 124.14
- 38956-79-5
- 95+%
- 250mg / 1g / 5g / 10g / 25g



3-Methylpyridazine

- BD88291
- $C_5H_6N_2$
- 94.11
- 1632-76-4
- 98%
- 1g / 5g / 10g / 25g / 100g



6-Chloropyridazine-3-carbonitrile

- BD40752
- $C_5H_2ClN_3$
- 139.54
- 35857-89-7
- 97%
- 250mg / 1g / 5g / 25g



Pyridazine-3-carboxylic acid

- BD40812
- $C_5H_4N_2O_2$
- 124.10
- 2164-61-6
- 97%
- 250mg / 1g / 5g / 25g



4,5-Dimethylpyridazine-3,6-diol

- BD92669
- $C_6H_8N_2O_2$
- 140.14
- 5754-17-6
- 97%
- 250mg / 1g / 5g / 10g / 25g



3-Chloro-6-pyrrolidin-1-yl-pyridazine

- BD86012
- $C_8H_{10}ClN_3$
- 183.64
- 66346-85-8
- 95+%
- 250mg / 1g / 5g / 10g / 25g



3-Amino-4-bromo-6-chloropyridazine

- BD159341
- $C_4H_3BrClN_3$
- 208.44
- 446273-59-2
- 97%
- 250mg / 1g / 5g / 10g / 25g



Pyridazine-3,6-diamine

- BD157603
- $C_4H_6N_4$
- 110.12
- 61070-99-3
- 98%
- 250mg / 1g / 5g



4-tert-Butyl-3,6-dichloropyridazine

- BD157690
- $C_8H_{10}Cl_2N_2$
- 205.08
- 22808-29-3
- 97%
- 250mg / 1g / 5g



6-(4-Methoxyphenoxy)pyridazin-3-amine

- BD89047
- $C_{11}H_{11}N_3O_2$
- 217.22
- 121041-41-6
- 95+%
- 250mg / 1g



3-Chloropyridazin-4-amine

- BD157848
- $C_4H_4ClN_3$
- 129.55
- 55928-83-1
- 98%
- 100mg / 250mg / 1g



6-Aminopyridazine-3-carboxylic acid

- BD29194
- $C_5H_5N_3O_2$
- 139.11
- 59772-58-6
- 97%
- 250mg / 1g / 5g / 10g



3,6-Dichloropyridazine

- BD18280
- $C_4H_2Cl_2N_2$
- 148.98
- 141-30-0
- 98%
- 10g / 25g / 100g / 500g



3,6-Dimethylpyridazine

- BD251922
- $C_6H_8N_2$
- 108.14
- 1632-74-2
- 95+%
- 1g / 5g / 10g



Methyl 6-chloropyridazine-4-carboxylate

- BD158752
- $C_6H_5ClN_2O_2$
- 172.57
- 1093860-48-0
- 98%
- 1g / 5g / 10g / 25g



1-(6-Chloropyridazin-3-yl)piperidin-4-ol

- BD23047
- $C_9H_{12}ClN_3O$
- 213.66
- 89937-26-8
- 97%
- 250mg / 1g / 5g / 10g / 25g

杂环砌块 — 吲哚 (Indoles) (35,000+)





4-Iodo-1H-indole

- BD227965
- C_8H_6IN
- 243.04
- 81038-38-2
- 95+%
- 100mg / 250mg / 1g / 5g 10g



4,6-Difluoroindole-2-carboxylic acid

- BD8233
- $C_9H_5F_2NO_2$
- 197.14
- 247564-66-5
- 97%
- 250mg / 1g / 5g / 10g / 25g



4-Bromo-5-fluoro-1H-indole

- BD244099
- C_8H_5BrFN
- 214.03
- 1227493-96-0
- 95+%
- 25mg / 100mg / 250mg / 1g



5-Chloro-4-fluoro-1H-indole

- BD103545
- C_8H_5ClFN
- 169.59
- 376646-56-9
- 98%
- 250mg / 1g



4-Bromo-6-chloro-1H-indole

- BD243910
- C_8H_5BrClN
- 230.49
- 885519-23-3
- 97%
- 100mg / 250mg / 1g



9-Bromo-5H-pyrido[4,3-b]indole

- BD637020
- $C_{11}H_7BrN_2$
- 247.09
- 1015460-62-4
- 97%
- 100mg / 250mg / 1g



Methyl 4-(trifluoromethyl)-1H-indole-2-carboxylate

- BD304105
- $C_{11}H_8F_3NO_2$
- 243.18
- 1098340-27-2
- 95+%
- 250mg / 1g



tert-Butyl 5-cyano-3-formyl-1H-indole-1-carboxylate

- BD159445
- $C_{15}H_{14}N_2O_3$
- 270.28
- 914348-93-9
- 95+%
- 250mg / 1g / 5g / 10g



6-Bromo-1-(phenylsulfonyl)-1H-indole

- BD241018
- $C_{14}H_{10}BrNO_2S$
- 336.20
- 679794-03-7
- 98%
- 250mg / 1g / 5g / 10g



2-Methyl-1H-indol-6-ol

- BD109307
- C_9H_9NO
- 147.17
- 54584-22-4
- 97%
- 250mg / 1g / 5g / 10g / 25g / 100g



3-(4-Fluorophenyl)-1H-indole

- BD40108
- $C_{14}H_{10}FN$
- 211.23
- 101125-32-0
- 97%
- 250mg / 1g / 5g / 10g



1-(1H-Indol-5-yl)ethanone

- BD41768
- $C_{10}H_9NO$
- 159.19
- 53330-94-2
- 97%
- 250mg / 1g / 5g



tert-Butyl 6-hydroxy-1H-indole-1-carboxylate

- BD00755458
- $C_{13}H_{15}NO_3$
- 233.26
- 898746-82-2
- 90%
- 1g / 5g / 10g



tert-Butyl 4-methoxy-1H-indole-1-carboxylate

- BD239045
- $C_{14}H_{17}NO_3$
- 247.29
- 1093759-59-1
- 95+%
- 250mg / 1g / 5g

杂环砌块 — 吲哚 (Indoles) (35,000+)



Methyl 5-nitro-1H-indole-3-carboxylate

- BD239013
- $C_{10}H_8N_2O_4$
- 220.18
- 686747-51-3
- 95+%
- 250mg / 1g / 5g / 10g



N-(2-Chlorophenyl)-1H-indole-3-carboxamide

- BD238678
- $C_{15}H_{11}ClN_2O$
- 270.71
- 61788-27-0
- 97%
- 250mg / 1g / 5g / 10g / 25g



2-Formyl-1H-indole-6-carbonitrile

- BD224593
- $C_{10}H_6N_2O$
- 170.17
- 104291-63-6
- 96%
- 250mg / 1g



1H-Indole-3-carboxylic acid

- BD8654
- $C_9H_7NO_2$
- 161.16
- 771-50-6
- 97+%
- 10g / 25g / 100g / 500g



5-Chloro-1H-indole-2-carboxylic acid

- BD8391
- $C_9H_6ClNO_2$
- 195.60
- 10517-21-2
- 97+%
- 1g / 5g / 10g / 25g / 100g



2-Methyl-4-nitroindole

- BD76962
- $C_9H_8N_2O_2$
- 176.17
- 3484-10-4
- 97%
- 250mg / 1g / 5g / 10g / 25g



3,3-Bis(2-methyl-1-octyl-1H-indol-3-yl)isobenzofuran-1(3H)-one

- BD81265
- $C_{42}H_{52}N_2O_2$
- 616.87
- 50292-95-0
- 97%
- 1g / 5g / 10g / 25g / 100g



Methyl 2-(1H-indol-3-yl)acetate

- BD13029
- $C_{11}H_{11}NO_2$
- 189.21
- 1912-33-0
- 97%
- 1g / 5g / 10g / 25g / 100g



2,3,3-Trimethyl-5-nitro-3H-indole

- BD13085
- $C_{11}H_{12}N_2O_2$
- 204.23
- 3484-22-8
- 98%
- 250mg / 1g / 5g / 10g / 25g



(R)-3-(1H-Indol-3-yl)-2-(5-(p-tolylethynyl)thiophene-2-sulfonamido)propanoic acid

- BD714660
- $C_{24}H_{20}N_2O_4S_2$
- 464.56
- 203640-27-1
- 97%
- 25mg / 100mg / 250mg / 1g



5-Methoxy-1H-indole-2-carboxylic acid

- BD8419
- $C_{10}H_9NO_3$
- 191.18
- 4382-54-1
- 97%
- 250mg / 1g / 5g / 10g / 25g / 100g



5-Chloroindole

- BD8390
- C_8H_6ClN
- 151.59
- 17422-32-1
- 98%
- 5g / 10g / 25g / 100g



1H-Indole-2-carboxylic acid

- BD8651
- $C_9H_7NO_2$
- 161.16
- 1477-50-5
- 98%
- 10g / 25g / 100g / 500g



4,6-Difluoroindole-2-carboxylic acid

- BD8233
- $C_9H_5F_2NO_2$
- 197.14
- 247564-66-5
- 97%
- 250mg / 1g / 5g / 10g / 25g



6-Cyanoindole

- BD7311
- $C_9H_6N_2$
- 142.16
- 15861-36-6
- 97%
- 1g / 5g / 10g / 25g



Indole-5-carbonitrile

- BD7309
- $C_9H_6N_2$
- 142.16
- 15861-24-2
- 97%
- 1g / 5g / 10g / 25g / 100g



2-Chloro-1H-indole

- BD73629
- C_8H_6ClN
- 151.59
- 7135-31-1
- 95+%
- 250mg / 1g / 5g / 10g / 25g



1H-Indole-5-carbaldehyde

- BD7457
- C_9H_7NO
- 145.16
- 1196-69-6
- 98%
- 1g / 5g

杂环砌块 — 噻吩 (Thiophenes) (35,000+)





5-Fluorothiophene-2-carboxylic acid

- BD20834
- 4377-58-6
- $C_5H_3FO_2S$
- 97%
- 146.14
- 100mg / 250mg / 1g / 5g



4-Hydroxy-2-(trifluoromethyl)thiophene

- BD211593
- 217959-45-0
- $C_5H_3F_3OS$
- 98%
- 168.14
- 100mg / 250mg / 1g / 5g



Bis(2-iodothiophen-3-yl)methanone

- BD627844
- 474416-61-0
- $C_9H_4I_2OS_2$
- 97%
- 446.07
- 100mg / 250mg / 1g / 5g



2,6-Dibromo-4,4-bis(2-ethylhexyl)-4H-silolo[3,2-b:4,5-b']dithiophene

- BD293915
- 1089687-05-7
- $C_{24}H_{36}Br_2S_2Si$
- 97%
- 576.57
- 100mg / 250mg / 1g



Ethyl 5-bromo-2-(2,2,2-trifluoroacetamido) thiophene-3-carboxylate

- BD634656
- 2044706-51-4
- $C_9H_7BrF_3NO_3S$
- 97%
- 346.12
- 100mg / 250mg / 1g



2,6-Dibromodithieno[3,2-b:2',3'-d]thiophene

- BD235044
- 67061-69-2
- $C_8H_2Br_2S_3$
- 95+%
- 354.10
- 100mg / 250mg / 1g / 5g



5-Bromo-4-chloro-6-iodothieno[2,3-d]pyrimidine

- BD766579
- 1799610-89-1
- $C_6HBrClIN_2S$
- 97%
- 375.41
- 100mg / 250mg / 1g / 5g / 10g / 25g



4-Chloro-6-iodo-5-methylthieno[2,3-d]pyrimidine

- BD768527
- 1823372-30-0
- $C_7H_4ClIN_2S$
- 97%
- 310.54
- 250mg / 1g / 5g / 10g



Thiophen-2-ylboronic acid

- BD9413
- 6165-68-0
- $C_4H_5BO_2S$
- 98%
- 127.96
- 5g / 10g / 25g / 100g



4-Amino-5-bromo-2-thiophenecarboxylic acid

- BD78812
- 89499-42-3
- $C_5H_4BrNO_2S$
- 95+%
- 222.06
- 250mg / 1g / 5g / 10g



Methyl 4-bromo-3-fluorothiophene-2-carboxylate

- BD78813
- 395664-56-9
- $C_6H_4BrFO_2S$
- 97%
- 239.06
- 100mg / 250mg / 1g / 5g / 10g



2-Methoxythiophene

- BD76585
- 16839-97-7
- C_5H_6OS
- 98%
- 114.17
- 1g / 5g / 10g / 25g / 100g



2-Methylthiophene-3-carboxylic acid

- BD77404
- 1918-78-1
- $C_6H_6O_2S$
- 98%
- 142.18
- 250mg / 1g / 5g / 10g / 25g



3-Fluorothiophene-2-carboxylic acid

- BD78808
- 32431-84-8
- $C_5H_3FO_2S$
- 97%
- 146.14
- 250mg / 1g

杂环砌块 — 噻吩 (Thiophenes) (35,000+)



3,4-Dibromotetrahydrothiophene 1,1-dioxide

- BD81706
- $C_4H_6Br_2O_2S$
- 277.96
- 15091-30-2
- 95+%
- 250mg / 1g / 5g / 10g / 25g



Potassium 2-Thienyltrifluoroborate

- BD306427
- $C_4H_3BF_3KS$
- 190.04
- 906674-55-3
- 95+%
- 250mg / 1g / 5g / 10g / 25g / 100g



2-Butylthiophene

- BD77577
- $C_8H_{12}S$
- 140.25
- 1455-20-5
- 98%
- 5g / 10g



3-Bromo-2-iodothiophene

- BD84955
- C_4H_2BrIS
- 288.93
- 60404-24-2
- 95+%
- 250mg / 1g / 5g



2,5-Dibromothiophene-3,4-dicarboxylic acid

- BD268496
- $C_6H_2Br_2O_4S$
- 329.95
- 190723-12-7
- 95+%
- 250mg / 1g



2-Amino-5-methylthiophene-3-carboxamide

- BD70481
- $C_6H_8N_2OS$
- 156.21
- 51486-03-4
- 95+%
- 250mg / 1g / 5g



3-(Thiophen-2-yl)-1H-pyrazole-4-carbaldehyde

- BD79553
- $C_8H_6N_2OS$
- 178.21
- 26033-27-2
- 98%
- 250mg / 1g / 5g / 10g



5-Bromothiophene-2-carbaldehyde

- BD28791
- C_5H_3BrOS
- 191.05
- 4701-17-1
- 98%
- 1g / 5g / 10g / 25g / 100g



2-Bromothiophene-3-carboxylic acid

- BD71663
- $C_5H_3BrO_2S$
- 207.05
- 24287-95-4
- 95%
- 250mg / 1g / 5g / 10g / 25g



(2-Chlorothiophen-3-yl)boronic acid

- BD8051
- $C_4H_4BClO_2S$
- 162.40
- 177734-82-6
- 97%
- 250mg / 1g / 5g / 10g / 25g



2-Hexylthiophene

- BD77596
- $C_{10}H_{16}S$
- 168.30
- 18794-77-9
- 98%
- 1g / 5g



Di(thiophen-2-yl)methanone

- BD7342
- $C_9H_6OS_2$
- 194.27
- 704-38-1
- 95+%
- 100mg / 250mg / 1g / 5g



3-(Thiophen-2-yl)benzoic acid

- BD79558
- $C_{11}H_8O_2S$
- 204.25
- 29886-63-3
- 95+%
- 250mg / 1g / 5g



tert-Butyl thiophen-3-ylcarbamate

- BD153041
- $C_9H_{13}NO_2S$
- 199.27
- 19228-91-2
- 95+%
- 250mg / 1g / 5g / 10g / 25g



2-Bromo-3-chlorothiophene

- BD71587
- C_4H_2BrClS
- 197.48
- 77893-68-6
- 95%
- 250mg / 1g / 5g



2-Formylthiophene-4-boronic acid

- BD8087
- $C_5H_5BO_3S$
- 155.97
- 175592-59-3
- 97%
- 250mg / 1g / 5g / 10g / 25g / 100g



4,5-Dichlorothiophene-2-carboxylic acid

- BD92549
- $C_5H_2Cl_2O_2S$
- 197.04
- 31166-29-7
- 98%
- 100mg / 250mg / 1g / 5g / 10g / 25g / 100g



2-(Thiophen-2-yl)pyridine

- BD7498
- C_9H_7NS
- 161.22
- 3319-99-1
- 97%
- 250mg / 1g / 5g / 10g / 25g

杂环砌块 — 咪唑 (Imidazoles) (35,000+)





2-Phenyl-4-(trifluoromethyl)-1H-imidazole

- BD78113
- $C_{10}H_7F_3N_2$
- 212.17
- 33469-36-2
- 95+%
- 100mg / 250mg / 1g / 5g



Methyl 2-mercapto-1-methyl-1H-imidazole-5-carboxylate

- BD137951
- $C_6H_8N_2O_2S$
- 172.21
- 68892-07-9
- 95+%
- 250mg / 1g / 5g / 10g / 25g



4-Bromo-1-isopropyl-1H-imidazole

- BD290013
- $C_6H_9BrN_2$
- 189.05
- 623577-60-6
- 95+%
- 100mg / 250mg / 1g / 5g / 10g



1-(4-Bromobenzyl)-2-butyl-4-chloro-1H-imidazole-5-carbaldehyde

- BD583819
- $C_{15}H_{16}BrClN_2O$
- 355.66
- 143722-29-6
- 97%
- 100mg / 250mg / 1g / 5g



2-(2,4-Difluorophenyl)-1H-imidazole

- BD24688
- $C_9H_6F_2N_2$
- 180.15
- 885278-05-7
- 95+%
- 250mg / 1g / 5g / 10g



4-Iodo-2-methyl-1-trityl-1H-imidazole

- BD32102
- $C_{23}H_{19}IN_2$
- 450.32
- 157255-72-6
- 97%
- 250mg / 1g



2,5-Dibromo-4-methylimidazole

- BD41463
- $C_4H_4Br_2N_2$
- 239.90
- 219814-29-6
- 97+%
- 250mg /1g / 5g / 10g / 25g



5-Bromo-4-nitro-1H-imidazole

- BD102978
- $C_3H_2BrN_3O_2$
- 191.97
- 6963-65-1
- 97%
- 250mg / 1g / 5g / 10g / 25g



N,N-Diphenyl-1H-imidazole-1-carboxamide

- BD626455
- $C_{16}H_{13}N_3O$
- 263.29
- 2875-79-8
- 97%
- 250mg / 1g / 5g / 10g



6-(4-(1H-Imidazol-1-yl)phenyl)-4,5-dihydropyridazin-3(2H)-one

- BD134361
- $C_{13}H_{12}N_4O$
- 240.26
- 84243-58-3
- 97%
- 250mg / 1g / 5g / 10g



Methyl 1-methyl-1H-imidazole-2-carboxylate

- BD221834
- $C_6H_8N_2O_2$
- 140.14
- 62366-53-4
- 95+%
- 250mg / 1g / 5g / 10g / 25g

2-Isopropyl-1H-imidazole

- BD76153
- $C_6H_{10}N_2$
- 110.16
- 36947-68-9
- 98%
- 10g / 25g / 100g / 500g / 1000g



4-(Chloromethyl)-1-trityl-1H-imidazole

- BD25803
- $C_{23}H_{19}ClN_2$
- 358.86
- 103057-10-9
- 95+%
- 250mg / 1g / 5g / 10g / 25g



1-(2,6-Diisopropylphenyl)-2-phenyl-1H-imidazole

- BD262676
- $C_{21}H_{24}N_2$
- 304.43
- 914306-50-6
- 95+%
- 100mg / 250mg / 1g / 5g

杂环砌块 — 咪唑 (Imidazoles) (35,000+)



4-Nitro-1-phenyl-1H-imidazole

- BD99391
- 41384-83-2
- $C_9H_7N_3O_2$
- 95+%
- 189.17
- 250mg / 1g / 5g / 10g



Di(1H-imidazol-1-yl)methane

- BD288382
- 84661-56-3
- $C_7H_8N_4$
- 95%
- 148.17
- 250mg / 1g / 5g / 10g



2-Bromo-1H-imidazole-4,5-dicarbonitrile

- BD71469
- 50847-09-1
- C_5HBrN_4
- 97%
- 196.99
- 250mg / 1g / 5g / 10g



4-Imidazol-1-ylmethylphenylamine

- BD89527
- 56643-85-7
- $C_{10}H_{11}N_3$
- 95+%
- 173.21
- 250mg / 1g / 5g



4-(Trifluoromethyl)-1H-imidazole

- BD91738
- 33468-69-8
- $C_4H_3F_3N_2$
- 98%
- 136.08
- 250mg / 1g / 5g / 10g / 25g



1-Methyl-2-nitro-1H-imidazole

- BD221837
- 1671-82-5
- $C_4H_5N_3O_2$
- 97%
- 127.10
- 250mg / 1g / 5g / 10g



(2-Imidazol-1-yl-phenyl)methanol

- BD44361
- 25373-56-2
- $C_{10}H_{10}N_2O$
- 95+%
- 174.20
- 250mg / 1g / 5g / 10g



5-Amino-1H-imidazole-4-carbonitrile

- BD90837
- 5098-11-3
- $C_4H_4N_4$
- 97%
- 108.10
- 250mg / 1g / 5g / 10g / 25g



1-Methyl-2-(methylthio)imidazole

- BD305602
- 14486-52-3
- $C_5H_8N_2S$
- 95+%
- 128.20
- 1g / 5g / 10g



(5-Chloro-1-methyl-1H-imidazol-2-yl)methanol

- BD389428
- 334893-99-1
- $C_5H_7ClN_2O$
- 95+%
- 146.58
- 100mg / 250mg / 1g / 5g / 10g



2-Methyl-1H-imidazole-5-carboxylic acid

- BD76677
- 1457-58-5
- $C_5H_6N_2O_2$
- 95%
- 126.11
- 100mg / 250mg / 1g / 5g / 25g



1-Phenyl-1H-imidazole

- BD22360
- 7164-98-9
- $C_9H_8N_2$
- 98%
- 144.17
- 1g / 5g / 10g / 25g



Imidazole-4-carbaldehyde

- BD20088
- 3034-50-2
- $C_4H_4N_2O$
- 98%
- 96.09
- 5g / 10g / 25g / 100g



5-Bromo-4-methyl-1H-imidazole

- BD90838
- 15813-08-8
- $C_4H_5BrN_2$
- 95%
- 161.00
- 250mg / 1g / 5g



1H-Imidazole-4-carboxylic acid

- BD40238
- 1072-84-0
- $C_4H_4N_2O_2$
- 97%
- 112.09
- 1g / 5g / 10g / 25g / 100g



4-(1H-imdazol-4-yl)piperidine

- BD89539
- 106243-23-6
- $C_8H_{13}N_3$
- 98%
- 151.21
- 250mg / 1g / 5g / 10g / 25g



6-Bromo-2-methoxy-3-(4-methyl-1H-imidazol-1-yl)pyridine

- BD304796
- 1123194-98-8
- $C_{10}H_{10}BrN_3O$
- 95+%
- 268.11
- 100mg / 250mg / 1g / 5g / 25g



2-Methyl-5-nitro-1H-imidazole

- BD76917
- 696-23-1
- $C_4H_5N_3O_2$
- 95%
- 127.10
- 10g

杂环砌块 — 哌嗪 (Piperazines) (35,000+)





1-(2,2,2-Trifluoroethyl)piperazine dihydrochloride

- BD239326
- $C_6H_{13}Cl_2F_3N_2$
- 241.08
- 13349-91-2
- 95+%
- 100mg / 250mg / 1g / 5g / 10g / 25g



(S)-1-(((9H-Fluoren-9-yl)methoxy)carbonyl)-4-(tert-butoxycarbonyl)piperazine-2-carboxylic acid

- BD257880
- $C_{25}H_{28}N_2O_6$
- 452.50
- 244132-27-2
- 95+%
- 100mg / 250mg / 1g / 5g / 10g



5-Bromo-2-(4-methylpiperazin-1-yl)pyrimidine

- BD26173
- $C_9H_{13}BrN_4$
- 257.13
- 141302-36-5
- 95+%
- 250mg / 1g / 5g / 10g / 25g



1-(2-Fluoroethyl)piperazine hydrochloride

- BD228789
- $C_6H_{14}ClFN_2$
- 168.64
- 184042-60-2
- 95+%
- 50mg / 1g



2-(tert-Butyl)-4-(piperazin-1-yl)-6-(trifluoromethyl)pyrimidine

- BD78668
- $C_{13}H_{19}F_3N_4$
- 288.31
- 219599-99-2
- 97%
- 250mg / 1g / 5g / 10g



2-(2,4-Dichloro-5-fluorophenyl)piperazine

- BD159443
- $C_{10}H_{11}Cl_2FN_2$
- 249.11
- 914348-92-8
- 95+%
- 250mg / 1g / 5g / 10g



2-Biphenyl-4-yl-piperazine

- BD71308
- $C_{16}H_{18}N_2$
- 238.33
- 105242-10-2
- 95+%
- 250mg / 1g / 5g / 10g



2-(5-Bromothiophen-2-yl)piperazine

- BD62680
- $C_8H_{11}BrN_2S$
- 247.16
- 111760-29-3
- 95+%
- 250mg / 1g / 5g / 10g



Sodium 2-(4-(2-hydroxyethyl)piperazin-1-yl)ethanesulfonate

- BD17232
- $C_8H_{17}N_2NaO_4S$
- 260.29
- 75277-39-3
- 98%
- 25g / 100g / 500g / 1000g



2-(4-(4-Nitrophenyl)piperazin-1-yl)ethanol

- BD182497
- $C_{12}H_{17}N_3O_3$
- 251.28
- 5521-38-0
- 95+%
- 250mg / 1g / 5g / 10g



Temafloxacin hydrochloride

- BD152542
- $C_{21}H_{19}ClF_3N_3O_3$
- 453.85
- 105784-61-0
- 97%
- 25mg / 100mg / 250mg / 1g



tert-Butyl 4-(2-bromoethyl)piperazine-1-carboxylate

- BD89809
- $C_{11}H_{21}BrN_2O_2$
- 293.21
- 655225-01-7
- 97%
- 100mg / 250mg / 1g / 5g / 10g



Vardenafil hydrochloride trihydrate

- BD156358
- $C_{23}H_{39}ClN_6O_7S$
- 579.12
- 330808-88-3
- 98%
- 1g / 5g / 10g / 25g



3-Fluoro-4-(piperazin-1-yl)benzonitrile

- BD32348
- $C_{11}H_{12}FN_3$
- 205.23
- 182181-38-0
- 95+%
- 250mg / 1g / 5g / 10g / 25g

杂环砌块 — 哌嗪 (Piperazines) (35,000+)



(R)-tert-Butyl 3-ethylpiperazine-1-carboxylate

- BD33686
- 438050-08-9
- $C_{11}H_{22}N_2O_2$
- 98%
- 214.31
- 250mg / 1g / 5g



tert-Butyl 4-(2-chloropyrimidin-4-yl)piperazine-1-carboxylate

- BD152855
- 221050-88-0
- $C_{13}H_{19}ClN_4O_2$
- 95%
- 298.77
- 250mg / 1g / 5g / 10g / 25g



1-(4-Methylpiperazin-1-yl)ethanone

- BD29215
- 60787-05-5
- $C_7H_{14}N_2O$
- 97%
- 142.20
- 1g / 5g



tert-Butyl 4-(3-formyl-4-hydroxyphenyl)piperazine-1-carboxylate

- BD263552
- 343306-50-3
- $C_{16}H_{22}N_2O_4$
- 95+%
- 306.36
- 100mg / 250mg / 1g / 5g



5-(Piperazin-1-yl)-1H-indazole

- BD259538
- 478827-33-7
- $C_{11}H_{14}N_4$
- 97%
- 202.26
- 25g / 100mg / 250mg / 1g



N-Boc-3-Ethylpiperazine

- BD8704
- 438049-35-5
- $C_{11}H_{22}N_2O_2$
- 95+%
- 214.31
- 250mg / 1g / 5g / 10g / 25g



(S)-tert-Butyl 3-(piperazin-1-yl)pyrrolidine-1-carboxylate

- BD261861
- 1010446-31-7
- $C_{13}H_{25}N_3O_2$
- 97%
- 255.36
- 100mg / 250mg / 1g / 5g / 10g



1-Boc-3-Oxopiperazine

- BD7059
- 76003-29-7
- $C_9H_{16}N_2O_3$
- 97%
- 200.24
- 5g / 10g / 25g / 100g



Methyl 2-(piperazin-1-yl)benzoate

- BD78290
- 159974-63-7
- $C_{12}H_{16}N_2O_2$
- 95+%
- 220.27
- 250mg / 1g / 5g / 10g



N-(2,6-Dimethylphenyl)-2-(piperazin-1-yl)acetamide

- BD7869
- 5294-61-1
- $C_{14}H_{21}N_3O$
- 97%
- 247.34
- 5g / 10g / 25g



2-Thiophen-2-yl-piperazine

- BD78759
- 85803-49-2
- $C_8H_{12}N_2S$
- 97%
- 168.26
- 250mg / 1g / 5g / 10g



1-(3-Hydroxymethylpyridyl-2)-2-phenyl-4-methylpyperazine

- BD16731
- 61337-89-1
- $C_{17}H_{21}N_3O$
- 95+%
- 283.37
- 250mg / 1g / 5g



1-Boc-(2-Hydroxymethyl)piperazine

- BD32590
- 205434-75-9
- $C_{10}H_{20}N_2O_3$
- 97%
- 216.28
- 100mg / 250mg / 1g / 5g / 10g / 25g



1-(4-Chlorophenyl)piperazine

- BD12098
- 38212-33-8
- $C_{10}H_{13}ClN_2$
- 98%
- 196.68
- 1g / 5g / 25g / 100g



1-(6-Chloro-5-(trifluoromethyl)pyridin-2-yl)piperazine

- BD202161
- 132834-56-1
- $C_{10}H_{11}ClF_3N_3$
- 95+%
- 265.66
- 100mg / 250mg / 1g



(2R,5S)-tert-Butyl 2,5-dimethylpiperazine-1-carboxylate

- BD152464
- 309915-46-6
- $C_{11}H_{22}N_2O_2$
- 95+%
- 214.31
- 250mg / 1g / 5g / 10g / 25g



(S)-tert-Butyl 2-ethylpiperazine-1-carboxylate

- BD20229
- 325145-35-5
- $C_{11}H_{22}N_2O_2$
- 95+%
- 214.31
- 250mg / 1g / 5g / 10g



2-(Piperazin-1-yl)phenol

- BD12210
- 1011-17-2
- $C_{10}H_{14}N_2O$
- 98%
- 178.23
- 1g / 5g / 10g / 25g

杂环砌块 — 吖丁啶 (Azetidines) (35,000+)





1-Benzhydryl-3-iodoazetidine

- BD56523
- $C_{16}H_{16}IN$
- 349.21
- 125735-40-2
- 97%
- 250mg / 1g / 5g / 10g

3-Fluoroazetidine hydrochloride

- BD86930
- C_3H_7ClFN
- 111.55
- 617718-46-4
- 97%
- 250mg / 1g / 5g / 10g / 25g 100g



tert-Butyl 3-bromoazetidine-1-carboxylate

- BD223057
- $C_8H_{14}BrNO_2$
- 236.11
- 1064194-10-0
- 95+%
- 250mg / 1g / 5g / 10g



3-((2-Chlorobenzyl)oxy)azetidine

- BD202906
- $C_{10}H_{12}ClNO$
- 197.66
- 1121627-62-0
- 95+%
- 100mg / 250mg / 1g / 5g



3-[3-(Trifluoromethyl)phenoxy]-azetidine hydrochloride

- BD162823
- $C_{10}H_{11}ClF_3NO$
- 253.65
- 1188374-88-0
- 97%
- 250mg / 1g / 5g / 10g / 25g



7-Benzyl-1-oxo-2,7-diazaspiro[3.5]nonane

- BD314848
- $C_{14}H_{18}N_2O$
- 230.31
- 1334536-88-7
- 97%
- 100mg / 250mg / 1g / 5g 10g



4-(3,3-Difluoroazetidin-1-yl)piperidine dihydrochloride

- BD244009
- $C_8H_{16}Cl_2F_2N_2$
- 249.13
- 1373503-66-2
- 95+%
- 100mg / 250mg / 1g



2-(4-(Azetidin-3-yl)piperazin-1-yl)pyrimidine hydrochloride

- BD633114
- $C_{11}H_{18}ClN_5$
- 255.75
- 2044704-96-1
- 97%
- 250mg / 1g



Methyl 1-Boc-azetidine-2-carboxylate

- BD57199
- $C_{10}H_{17}NO_4$
- 215.25
- 255882-72-5
- 95+%
- 1g / 5g / 10g / 25g



(9H-Fluoren-9-yl)methyl 3-hydroxyazetidine-1-carboxylate

- BD58401
- $C_{18}H_{17}NO_3$
- 295.33
- 886510-13-0
- 97%
- 250mg / 1g / 5g / 10g / 25g



2-(Azetidin-1-yl)-5-bromopyrimidine

- BD159576
- $C_7H_8BrN_3$
- 214.06
- 850349-22-3
- 95+%
- 250mg / 1g / 5g / 10g



tert-Butyl 3-(2-ethoxy-2-oxoethyl)azetidine-1-carboxylate

- BD208288
- $C_{12}H_{21}NO_4$
- 243.30
- 158602-35-8
- 95+%
- 1g / 5g / 10g / 25g



1-Cbz-3-Hydroxyazetidine

- BD27373
- $C_{11}H_{13}NO_3$
- 207.23
- 128117-22-6
- 96%
- 5g / 10g / 25g / 100g



2-(1-(Ethylsulfonyl)azetidin-3-ylidene)acetonitrile

- BD295152
- $C_7H_{10}N_2O_2S$
- 186.23
- 1187595-85-2
- 95+%
- 250mg / 1g / 5g / 10g / 25g

杂环砌块 — 吖丁啶 (Azetidines) (35,000+)



(S)-1-Boc-2-Azetidinemethanol

- BD48395
- $C_9H_{17}NO_3$
- 187.24
- 161511-85-9
- 95+%
- 250mg / 1g / 5g / 10g



tert-Butyl 3-acetylazetidine-1-carboxylate

- BD295194
- C10H17NO3
- 199.25
- 870089-49-9
- 95+%
- 250mg / 1g / 5g / 10g / 25g



2-Boc-6-Amino-2-aza-spiro[3.3]heptane

- BD211305
- $C_{11}H_{20}N_2O_2$
- 212.29
- 1211586-09-2
- 95%
- 100mg / 250mg / 1g



1-(tert-Butoxycarbonyl)azetidine-2-carboxylic acid

- BD27664
- C9H15NO4
- 201.22
- 159749-28-7
- 95+%
- 50mg / 1g / 5g / 10g / 25g



tert-Butyl 3-(6-fluoropyridin-2-yl)azetidine-1-carboxylate

- BD256061
- $C_{13}H_{17}FN_2O_2$
- 252.29
- 1356109-81-3
- 95+%
- 25mg / 100mg / 250mg / 1g



6-Boc-1-oxo-2,6-diazaspiro[3.5]nonane

- BD163618
- $C_{12}H_{20}N_2O_3$
- 240.30
- 1160246-71-8
- 97%
- 100mg / 250mg / 1g / 5g / 25g



tert-Butyl 3-ethynylazetidine-1-carboxylate

- BD234699
- $C_{10}H_{15}NO_2$
- 181.23
- 287193-01-5
- 97%
- 100mg / 250mg / 1g



(R)-Azetidine-2-carboxylic acid

- BD2347
- $C_4H_7NO_2$
- 101.10
- 7729-30-8
- 95+%
- 250mg / 1g / 5g / 10g / 25g



(S)-Azetidine-2-carboxylic acid

- BD2348
- $C_4H_7NO_2$
- 101.10
- 2133-34-8
- 97%
- 250mg / 1g / 5g / 10g



Benzyl 3-oxoazetidine-1-carboxylate

- BD164977
- $C_{11}H_{11}NO_3$
- 205.21
- 105258-93-3
- 97%
- 1g / 5g / 10g / 25g / 100g



(2S,3S)-3-Amino-2-methyl-4-oxoazetidine-1-sulfonic acid

- BD2361
- $C_4H_8N_2O_4S$
- 180.18
- 80082-65-1
- 97%
- 1g / 5g / 10g / 25g / 100g



Methyl 1-benzylazetidine-2-carboxylate

- BD27831
- $C_{12}H_{15}NO_2$
- 205.25
- 18085-37-5
- 95+%
- 1g / 5g / 10g / 25g



1-Benzylazetidin-3-ol

- BD21391
- $C_{10}H_{13}NO$
- 163.22
- 54881-13-9
- 98%
- 250mg / 1g / 5g / 10g / 25g 100g



tert-Butyl 3-(4-bromophenyl)-3-hydroxyazetidine-1-carboxylate

- BD279467
- $C_{14}H_{18}BrNO_3$
- 328.20
- 1357614-50-6
- 95+%
- 250mg / 1g



1-Cbz-Azetidine-3-carboxylic acid

- BD29952
- $C_{12}H_{13}NO_4$
- 235.24
- 97628-92-7
- 97%
- 250mg / 1g / 5g / 10g / 25g



3-Acetoxy-1-acetylazetidine

- BD216106
- $C_7H_{11}NO_3$
- 157.17
- 143329-27-5
- 95+%
- 250mg / 1g / 5g / 10g



(1-Benzylazetidine-2,4-diyl)dimethanol

- BD217208
- $C_{12}H_{17}NO_2$
- 207.27
- 127310-66-1
- 95+%
- 250mg / 1g / 5g



tert-Butyl 2,7-diazaspiro[3.5]nonane-7-carboxylate

- BD68600
- $C_{12}H_{22}N_2O_2$
- 226.32
- 896464-16-7
- 95+%
- 100mg / 250mg / 1g / 5g / 10g 25g

杂环砌块 — 氧杂环丁烷 (Oxetanes) (35,000+)





3,3-Bis(chloromethyl)oxetane

- BD81270
- $C_5H_8Cl_2O$
- 155.02
- 78-71-7
- 98%
- 250mg / 1g / 5g / 10g / 25g 100g



6-Tosyl-2-oxa-6-azaspiro[3.3]heptane

- BD168697
- $C_{12}H_{15}NO_3S$
- 253.32
- 13573-28-9
- 95+%
- 250mg / 1g / 5g / 10g / 25g

3-(Bromomethyl)-3-methyloxetane

- BD85346
- C_5H_9BrO
- 165.03
- 78385-26-9
- 97%
- 100mg / 250mg / 1g / 5g 10g



N-Carbobenzyloxy-D-serine-beta-lactone

- BD47780
- $C_{11}H_{11}NO_4$
- 221.21
- 98632-91-8
- 95+%
- 50mg / 100mg / 250mg / 1g 5g / 10g



3-((Phenylsulfonyl)methylene)oxetane

- BD182919
- $C_{10}H_{10}O_3S$
- 210.25
- 1221819-46-0
- 95+%
- 250mg / 1g / 5g



(3-Fluorooxetan-3-yl)methyl 4-methylbenzenesulfonate

- BD291932
- $C_{11}H_{13}FO_4S$
- 260.28
- 1308644-71-4
- 97%
- 250mg / 1g

6-Iodo-2-oxaspiro[3.3]heptane

- BD302149
- C_6H_9IO
- 224.04
- 1363381-15-0
- 95+%
- 25mg / 100mg / 250mg / 1g



Potassium trifluoro(oxetan-3-yl)borate

- BD289883
- C3H5BF3KO
- 163.98
- 1430219-76-3
- 95%
- 100mg / 250mg / 1g



Oxetan-3-yl methanesulfonate

- BD255761
- $C_4H_8O_4S$
- 152.17
- 148430-81-3
- 95+%
- 250mg / 1g / 5g



(3-(Benzylamino)oxetan-3-yl)methanol

- BD301891
- $C_{11}H_{15}NO_2$
- 193.24
- 1195684-52-6
- 95+%
- 25mg / 100mg / 250mg / 1g



Oxetan-3-ylmethyl 4-methylbenzenesulfonate

- BD303386
- $C_{11}H_{14}O_4S$
- 242.29
- 1395417-57-8
- 95+%
- 100mg / 250mg / 1g / 5g



N-Benzyloxetan-3-amine oxalate

- BD295056
- $C_{12}H_{15}NO_5$
- 253.25
- 1956341-96-0
- 95+%
- 100mg / 250mg / 1g

3-Methyloxetan-3-amine

- BD212776
- C_4H_9NO
- 87.12
- 874473-14-0
- 98%
- 250mg / 1g / 5g / 25g



Oxetan-2-ylmethanol

- BD215076
- $C_4H_8O_2$
- 88.11
- 61266-70-4
- 95+%
- 100mg / 250mg / 1g / 5g / 10g

杂环砌块 — 氧杂环丁烷 (Oxetanes) (35,000+)



3-((Benzyloxy)methyl)oxetane

- BD287778
- $C_{11}H_{14}O_2$
- 178.23
- 1003013-76-0
- 95+%
- 100mg / 250mg / 1g



Oxetan-3-ylmethanamine

- BD168610
- C_4H_9NO
- 87.12
- 6246-05-5
- 98%
- 100mg / 250mg / 1g



Oxetane-3-carboxylic acid

- BD88696
- $C_4H_6O_3$
- 102.09
- 114012-41-8
- 95%
- 100mg / 250mg / 1g / 5g / 10g / 25g

3-Methyl-oxetane-3-carbaldehyde

- BD212063
- $C_5H_8O_2$
- 100.12
- 99419-31-5
- 95+%
- 250mg / 1g / 5g / 10g



1-(3-Methyloxetan-3-yl)ethanone

- BD258168
- $C_6H_{10}O_2$
- 114.14
- 1363381-04-7
- 97%
- 250mg / 1g / 5g / 10g



3-Oxetanamine

- BD88695
- C_3H_7NO
- 73.09
- 21635-88-1
- 97%
- 250mg / 1g / 5g / 25g



3-Bromo-4-(3-methyloxetan-3-yl)aniline

- BD294901
- $C_{10}H_{12}BrNO$
- 242.11
- 945244-28-0
- 98%
- 25mg / 100mg / 250mg / 1g



3-(Bromomethyl)oxetane

- BD258170
- C_4H_7BrO
- 151.00
- 1374014-30-8
- 95+%
- 100mg / 250mg / 1g / 5g



3,3-Bis(bromomethyl)oxetane

- BD81269
- $C_5H_8Br_2O$
- 243.92
- 2402-83-7
- 95+%
- 1g / 5g / 10g / 25g



2-Methyl-N-(oxetan-3-ylidene)propane-2-sulfinamide

- BD223941
- $C_7H_{13}NO_2S$
- 175.25
- 1158098-73-7
- 97%
- 250mg / 1g / 5g / 10g / 25g / 100g



Oxetan-3-ylmethanol

- BD211452
- $C_4H_8O_2$
- 88.11
- 6246-06-6
- 97%
- 1g / 5g



Oxetan-3-ol

- BD34922
- $C_3H_6O_2$
- 74.08
- 7748-36-9
- 96%
- 1g / 5g / 10g / 25g / 100g



Oxetane-2-carboxylic acid

- BD35165
- $C_4H_6O_3$
- 102.09
- 864373-47-7
- 98%
- 100mg / 250mg / 1g / 5g



tert-Butyl 2-oxa-7-azaspiro[3.5]nonane-7-carboxylate

- BD247456
- $C_{12}H_{21}NO_3$
- 227.30
- 240401-27-8
- 95+%
- 100mg / 250mg / 1g / 5g / 25g

(3-Methyloxetan-3-yl)methanamine

- BD88697
- $C_5H_{11}NO$
- 101.15
- 153209-97-3
- 97%
- 1g / 5g / 10g



1-Oxa-7-azaspiro[3.5]nonane oxalate

- BD284165
- $C_9H_{15}NO_5$
- 217.22
- 1408076-14-1
- 95+%
- 250mg / 1g



(R)-tert-Butyl (2-oxooxetan-3-yl)carbamate

- BD119928
- $C_8H_{13}NO_4$
- 187.19
- 126330-77-6
- 95+%
- 50mg / 100mg / 250mg / 1g 5g



4,4,5,5-Tetramethyl-2-(oxetan-3-yl)-1,3,2-dioxaborolane

- BD289828
- $C_9H_{17}BO_3$
- 184.04
- 1396215-84-1
- 95%
- 100mg / 250mg / 1g / 5g

杂环砌块 — 吡咯烷 (Pyrrolidines) (35,000+)





1-Iodopyrrolidine-2,5-dione

- BD40869
- $C_4H_4INO_2$
- 224.99
- 516-12-1
- 98%
- 10g / 25g / 100g / 500g / 1000g



Tri(pyrrolidin-1-yl)phosphine oxide

- BD41075
- $C_{12}H_{24}N_3OP$
- 257.31
- 6415-07-2
- 98%
- 1g / 5g / 10g / 25g



1-Benzyl-3-bromopyrrolidin-2-one

- BD249716
- $C_{11}H_{12}BrNO$
- 254.12
- 77868-84-9
- 97%
- 5g / 10g



tert-Butyl 3-hydroxy-3-(trifluoromethyl) pyrrolidine-1-carboxylate

- BD291805
- $C_{10}H_{16}F_3NO_3$
- 255.23
- 644970-36-5
- 95+%
- 100mg / 250mg / 1g / 5g 25g



tert-Butyl 3-iodopyrrolidine-1-carboxylate

- BD215035
- $C_9H_{16}INO_2$
- 297.13
- 774234-25-2
- 95+%
- 250mg / 1g / 5g / 10g



(3S,4R)-rel-3,4-Difluoropyrrolidine hydrochloride

- BD263273
- $C_4H_8ClF_2N$
- 143.56
- 869481-94-7
- 95+%
- 100mg / 250mg / 1g / 5g 25g



tert-Butyl 1-oxo-2,8-diazaspiro[4.6]undecane-8-carboxylate

- BD570239
- $C_{14}H_{24}N_2O_3$
- 268.35
- 1341039-08-4
- 97%
- 100mg / 250mg / 1g / 5g



7,7-Difluorotetrahydropyrrolo[1,2-a] pyrazine-1,3(2H,4H)-dione

- BD290121
- $C_7H_8F_2N_2O_2$
- 190.15
- 1624260-16-7
- 95+%
- 25mg / 100mg / 250mg / 1g



tert-Butyl 2,6-diazaspiro[3.4]octane-6-carboxylate

- BD152773
- $C_{11}H_{20}N_2O_2$
- 212.29
- 885270-86-0
- 95+%
- 250mg / 1g / 5g



1-Boc-3-Aminopyrrolidine

- BD7114
- $C_9H_{18}N_2O_2$
- 186.25
- 186550-13-0
- 97+%
- 1g / 5g / 10g / 25g / 100g



3-(Pyrrolidin-1-yl)propanoic acid

- BD89150
- $C_7H_{13}NO_2$
- 143.18
- 76234-38-3
- 95+%
- 250mg / 1g / 5g / 10g



(S)-3-(Pyrrolidin-2-yl)pyridine

- BD220487
- $C_9H_{12}N2$
- 148.21
- 494-97-3
- 95%
- 100mg / 250mg / 1g



2-(3-Methylphenyl)pyrrolidine

- BD22383
- $C_{11}H_{15}N$
- 161.24
- 72216-05-8
- 95+%
- 1g / 5g / 10g / 25g



(R)-Pyrrolidin-3-ol

- BD2377
- C_4H_9NO
- 87.12
- 2799-21-5
- 97%
- 250mg / 1g / 5g / 10g / 25g / 100g

杂环砌块 — 吡咯烷 (Pyrrolidines) (35,000+)



Ethyl 3-oxopyrrolidine-1-carboxylate

- BD32003
- C7H11NO3
- 157.17
- 14891-10-2
- 95+%
- 250mg / 1g / 5g / 10g / 25g



(S)-3,3-Difluoro-5-(hydroxymethyl)pyrrolidin-2-one

- BD254871
- C5H7F2NO2
- 151.11
- 255903-84-5
- 95%
- 100mg / 250mg / 1g



(S)-2-(4-Fluorophenyl)pyrrolidine hydrochloride

- BD252203
- C10H13ClFN
- 201.67
- 1073556-40-7
- 95+%
- 250mg / 1g



tert-Butyl 3-((dimethylamino)methylene)-4-oxopyrrolidine-1-carboxylate

- BD252182
- C12H20N2O3
- 240.30
- 157327-42-9
- 97%
- 250mg / 1g / 5g / 10g



tert-Butyl 2,4-dioxopyrrolidine-1-carboxylate

- BD251737
- C9H13NO4
- 199.20
- 182352-59-6
- 95+%
- 250mg / 1g / 5g



3-(Hydroxymethyl)-1-methylpyrrolidin-2-one

- BD251574
- C6H11NO2
- 129.16
- 577780-05-3
- 96%
- 100mg / 250mg / 1g / 5g



tert-Butyl (5-oxopyrrolidin-3-yl)carbamate

- BD165019
- C9H16N2O3
- 200.24
- 1245648-84-3
- 97%
- 1g / 5g / 10g

(R)-2-Phenylpyrrolidine

- BD47464
- C10H13N
- 147.22
- 56523-47-8
- 97%
- 100mg / 250mg / 1g / 5g



GMBS

- BD132340
- C12H12N2O6
- 280.23
- 80307-12-6
- 98%
- 250mg / 1g / 5g



(S)-tert-Butyl 3-hydroxypyrrolidine-1-carboxylate

- BD7089
- C9H17NO3
- 187.24
- 101469-92-5
- 97+%
- 5g / 10g / 25g / 100g / 500g



(R)-tert-Butyl 2-carbamoylpyrrolidine-1-carboxylate

- BD20382
- C10H18N2O3
- 214.26
- 70138-72-6
- 95+%
- 1g / 5g / 10g / 25g / 100g



Pyrrolidin-3-ol

- BD17165
- C4H9NO
- 87.12
- 40499-83-0
- 95+%
- 250mg / 1g / 5g / 10g / 25g



N-Boc-3-Cyanopyrrolidine

- BD12325
- C10H16N2O2
- 196.25
- 476493-40-0
- 97%
- 100mg / 250mg / 1g / 5g 10g / 25g



2-Azaspiro[4.5]decan-3-one

- BD7038
- C9H15NO
- 153.22
- 64744-50-9
- 95+%
- 5g / 10g / 25g / 100g



2-Amino-5-bromo-3-pyrrolidin-1-ylpyrazine

- BD70350
- C8H11BrN4
- 243.10
- 893611-72-8
- 95+%
- 250mg / 1g / 5g / 10g / 25g



(S)-2-(1-(tert-Butoxycarbonyl)pyrrolidin-3-yl)acetic acid

- BD36035
- C11H19NO4
- 229.27
- 204688-61-9
- 97%
- 250mg / 1g / 5g



tert-Butyl 2,6-diazaspiro[3.4]octane-2-carboxylate

- BD152772
- C11H20N2O2
- 212.29
- 885270-84-8
- 95+%
- 250mg / 1g / 5g



tert-Butyl 4-cyano-2,2-dimethyl-3-oxopyrrolidine-1-carboxylate

- BD152925
- C12H18N2O3
- 238.28
- 946497-94-5
- 95+%
- 25mg / 100mg / 250mg / 1g 5g / 25g

杂环砌块 — 吗啡啉 (Morpholines) (35,000+)





4-(2-Chloro-7-methylthieno[3,2-d]pyrimidin-4-yl)morpholine

- BD261182
- $C_{11}H_{12}ClN_3OS$
- 269.75
- 35265-88-4
- 97%
- 250mg / 1g / 5g



5-Bromo-2-chloro-4-morpholinopyrimidine

- BD107254
- $C_8H_9BrClN_3O$
- 278.53
- 139502-01-5
- 97%
- 250mg / 1g / 5g / 10g



4-Benzyl-1-oxa-4,9-diazaspiro[5.5]undecan-3-one

- BD245953
- $C_{15}H_{20}N_2O_2$
- 260.33
- 151096-96-7
- 97%
- 250mg / 1g



2-(3-(Trifluoromethyl)phenyl)morpholine hydrochloride

- BD167151
- $C_{11}H_{13}ClF_3NO$
- 267.68
- 31599-68-5
- 97%
- 250mg / 1g / 5g



3,3,5,5-Tetramethylmorpholin-2-one

- BD178437
- $C_8H_{15}NO_2$
- 157.21
- 90032-83-0
- 97%
- 100mg / 250mg / 1g / 5g



Potassium trifluoro(morpholinomethyl)borate

- BD148688
- $C_5H_{10}BF_3KNO$
- 207.04
- 936329-94-1
- 95+%
- 250mg / 1g / 5g / 10g / 25g



2-(3,4-Difluorophenyl)morpholine hydrochloride

- BD165527
- $C_{10}H_{12}ClF_2NO$
- 235.66
- 1251033-05-2
- 95+%
- 100mg / 250mg / 1g



4-(Morpholinomethyl)benzonitrile

- BD91461
- $C_{12}H_{14}N_2O$
- 202.25
- 37812-51-4
- 97%
- 250mg / 1g / 5g / 10g / 25g



N-Boc-2-Morpholinecarbaldehyde

- BD94600
- $C_{10}H_{17}NO_4$
- 215.25
- 218594-02-6
- 90%
- 100mg / 250mg / 1g



Ethyl 3-morpholino-3-oxopropanoate

- BD297429
- $C_9H_{15}NO_4$
- 201.22
- 37714-64-0
- 95+%
- 250mg / 1g / 5g / 10g / 25g



(S)-Ethyl 2-(4-benzylmorpholin-3-yl)acetate

- BD297038
- $C_{15}H_{21}NO_3$
- 263.33
- 1799439-16-9
- 98%
- 25mg / 100mg / 250mg 1g



5-Bromo-3-morpholinopyrazin-2-amine

- BD70345
- $C_8H_{11}BrN_4O$
- 259.10
- 117719-17-2
- 95+%
- 250mg / 1g / 5g / 10g / 25g



4-(Morpholinomethyl)benzoic acid

- BD91460
- $C_{12}H_{15}NO_3$
- 221.25
- 62642-62-0
- 98%
- 250mg / 1g / 10g / 25g



(4-Methylmorpholin-2-yl)methanamine

- BD77434
- $C_6H_{14}N_2O$
- 130.19
- 141814-57-5
- 95%
- 250mg / 1g / 5g / 10g

杂环砌块 — 吗啡啉 (Morpholines) (35,000+)



4-Boc-2-Hydroxymethylmorpholine

- BD95601
- $C_8H_9ClN_2O_2S$
- 232.69
- 129880-84-8
- 95+%
- 250mg / 1g / 5g / 10g



4-(2-(4-(4,4,5,5-Tetramethyl-1,3,2-dioxaborolan-2-yl)-1H-pyrazol-1-yl)ethyl)morpholine

- BD165599
- $C_{15}H_{26}BN_3O_3$
- 307.20
- 864754-18-7
- 95+%
- 250mg / 1g / 5g / 25g



2-Isopropylmorpholine hydrochloride

- BD265916
- $C_7H_{16}ClNO$
- 165.66
- 1432678-91-5
- 97%
- 100mg / 250mg / 1g / 5g



tert-Butyl 3-((dimethylamino)methylene)-4-oxopyrrolidine-1-carboxylate

- BD252182
- $C_{12}H_{20}N_2O_3$
- 240.30
- 157327-42-9
- 97%
- 250mg / 1g / 5g / 10g



N-Ethyl-2-morpholinoethanamine

- BD246489
- $C_8H_{18}N_2O$
- 158.24
- 108302-54-1
- 95+%
- 1g / 5g / 10g



(6-Morpholinopyridazin-3-yl)methanamine

- BD89064
- $C_9H_{14}N_4O$
- 194.23
- 344413-28-1
- 97%
- 250mg / 1g



(2S,6S)-2,6-Dimethylmorpholine

- BD247932
- $C_6H_{13}NO$
- 115.17
- 276252-73-4
- 97%
- 100mg / 250mg / 1g / 5g



4-(1H-Indol-5-yl)morpholine

- BD225593
- $C_{12}H_{14}N_2O$
- 202.25
- 245117-16-2
- 95+%
- 100mg / 250mg / 1g / 5g



(S)-3-Phenylmorpholine

- BD48970
- $C_{10}H_{13}NO$
- 163.22
- 914299-79-9
- 95+%
- 100mg / 250mg / 1g / 5g / 25g



4-(3-Bromophenyl)morpholine

- BD32494
- $C_{10}H_{12}BrNO$
- 242.11
- 197846-82-5
- 95+%
- 1g / 5g / 10g / 25g



N,N-Dimethyl-1-(morpholin-2-yl)methanamine

- BD17827
- $C_7H_{16}N_2O$
- 144.22
- 122894-56-8
- 95+%
- 1g / 5g / 10g / 25g



4-(6-Bromopyridin-3-yl)morpholine

- BD164865
- $C_9H_{11}BrN_2O$
- 243.10
- 952582-08-0
- 98%
- 100mg / 250mg / 1g / 5g / 10g / 25g



N-Boc-Morpholine-2-carboxylic acid

- BD94601
- $C_{10}H_{17}NO_5$
- 231.25
- 189321-66-2
- 95+%
- 250mg / 1g / 5g / 25g / 100g

3,3-Dimethylmorpholine

- BD81408
- $C_6H_{13}NO$
- 115.17
- 59229-63-9
- 95%
- 1g / 5g / 10g



2-Phenylmorpholine

- BD78213
- $C_{10}H_{13}NO$
- 163.22
- 23972-41-0
- 95+%
- 1g / 5g / 10g



4-Benzylmorpholine-2-carbonitrile

- BD94438
- $C_{12}H_{14}N_2O$
- 202.25
- 126645-52-1
- 97%
- 250mg / 1g / 5g / 10g / 25g / 100g



4-(2,2-Diethoxyethyl)morpholine

- BD89646
- $C_{10}H_{21}NO_3$
- 203.28
- 3616-59-9
- 97%
- 250mg / 1g / 5g / 10g / 25g



(4-Benzylmorpholin-2-yl)methanol

- BD28669
- $C_{12}H_{17}NO_2$
- 207.27
- 40987-24-4
- 98%
- 250mg / 1g / 5g / 25g

企业荣誉

- 2010年 通过ISO 9001:2008质量体系认证，2016年通过复审
  获创新基金（初创期）项目支持
- 2011年 获上海市服务业发展引导资金项目支持并完成验收
- 2012年 荣获高新技术企业
  荣获技术先进型服务企业
- 2013年 认定上海市高新技术成果转化项目
  获杨浦区级小巨人
- 2014年 获杨浦区人才发展专项资金支持
  获上海市创新资金（成长期）项目支持
- 2015年 再次荣获技术先进型服务企业
  CCTV《品牌影响力》、《领航》栏目上榜品牌
  荣获精细化工行业中国民族品牌称号
- 2016年 通过国内外多家企业的质量审核
- 2017年 上海市“专精特新”中小企业
  上海市专利工作试点企业
  获杨浦区企业技术中心

专利技术

关键技术领域申请10项发明专利，授权7项：

1.《4, 7-二氮杂吲哚及5位取代物的制备方法》；

2.《3-乙炔基-4-氟苯胺的制备方法》；

3.《一种1H -吲唑类衍生物的制备方法》；

4.《一种5-羟基嘧啶-2-羧酸的制备方法》；

5.《一种2-氯-7-碘噻吩并[3, 2-D]嘧啶的化合物制备方法》；

6.《一种3-叔丁基-1H -吡唑-4-甲醛的制备方法》；

7.《一种5,6,7,8-四氢咪唑[1,2-A]吡嗪的合成方法》；

8.《一种3-（二丙基氨基）-4-甲氧基苯磺酸的制备方法》；

9.《一种吡啶并[3，4-d]嘧啶-4（3H）-酮衍生物的制备方法》；

10.《一种3,4-二氯哒嗪的合成方法》。

核心价值



产品质量

为确保产品质量，公司引进了先进齐全的分析测试设备，包括400MHz核磁共振仪(NMR)、电感耦合等离子体发射光谱仪(ICP)、液质联用仪(LCMS)等，并配以严格的质量管理体系。同时我司由全球著名软件服务商NETSUITE量身定制了强大的ERP系统，可以为国内外客户提供最快捷高效的服务。公司签有具备GMP资质的合作工厂，配备专业的研发团队，形成了从小试、中试到工业化规模的生产能力，全方位满足客户定制合成、目录试剂采购及合同外包生产的需求。

安捷伦 6120 LC-MS
400MHz核磁共振仪(NMR)
安捷伦 1100 HPLC
沃特斯 UPLC

安捷伦 7820 GC
手性 HPLC
熔点仪
水份仪



溶剂残留（PPM）
重金属残留（PPM）
等等….

助力医药研发　成为客户最信赖的合作伙伴

40,000+ 现货库存

上海毕得医药科技有限公司

热线: **400-164-7117**　电话: **021-61629020**

邮箱: product@bidepharmatech.com